

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Virginia 22313-1450 www.usplo.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE CONFIRMATION NO. 09/710,430 11/09/2000 Shuji Hanada 11151/5 5650 EXAMINER 26646 01/27/2004 **KENYON & KENYON** WILKINS III, HARRY D ONE BROADWAY ART UNIT PAPER NUMBER NEW YORK, NY 10004

> 1742 DATE MAILED: 01/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
Office Action Summary		09/710,430	HANADA ET AL.
		Examiner	Art Unit
		Harry D Wilkins, III	1742
Period fo	The MAILING DATE of this communication apport Reply	pears on the cover she	et with the correspondence address
A SH THE   - Externation - If the - If NO - Failu - Any r	IORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Is period for reply specified above is less than thirty (30) days, a reply of period for reply is specified above, the maximum statutory period of the provision o	36(a). In no event, however, m within the statutory minimum will apply and will expire SIX (6) cause the application to become	ay a reply be timely filed  of thirty (30) days will be considered timely.  MONTHS from the mailing date of this communication.  ne ABANDONED (35 U.S.C. § 133).
1)[	Responsive to communication(s) filed on <u>02 L</u>	<u>December 2003</u> .	
2a)[	This action is <b>FINAL</b> . 2b)⊠ Th	is action is non-final.	
3)□ Dispositi	Since this application is in condition for allowated closed in accordance with the practice under ion of Claims	ance except for formal Ex parte Quayle, 1935	matters, prosecution as to the merits is 5 C.D. 11, 453 O.G. 213.
<b>4</b> )⊠	Claim(s) <u>1-3 and 8-27</u> is/are pending in the ap	plication.	
	4a) Of the above claim(s) is/are withdraw	vn from consideration	
5)	Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-3 and 8-27</u> is/are rejected.			
7)	Claim(s) is/are objected to.		
8)□	Claim(s) are subject to restriction and/or	election requirement	
Applicati	ion Papers		
9) 🗌 -	The specification is objected to by the Examine	<del>.</del> .	
10)🖂 -	The drawing(s) filed on <u>09 Se<i>ptember</i> 2002</u> is/a	re: a)⊠ accepted or b)	objected to by the Examiner.
	Applicant may not request that any objection to the	= , ,	, ,
11) 🗔 🗆	The proposed drawing correction filed on	is: a)□ approved b)[	disapproved by the Examiner.
	If approved, corrected drawings are required in rep	•	
12)[ 7	The oath or declaration is objected to by the Exa	aminer.	
Priority u	ınder 35 U.S.C. §§ 119 and 120		
13)🖂	Acknowledgment is made of a claim for foreign	priority under 35 U.S	.C. § 119(a)-(d) or (f).
a)[	⊠ All b) Some * c) None of:		
	1. Certified copies of the priority documents	have been received.	
	2. Certified copies of the priority documents	have been received	n Application No
	3. Copies of the certified copies of the prior application from the International Bursee the attached detailed Office action for a list of the control of the control of the certified Copies of the prior of the prior of the certified Copies of the prior of the	eau (PCT Rule 17.2(a	a)).
14)□ A	cknowledgment is made of a claim for domestic	priority under 35 U.S	.C. § 119(e) (to a provisional application
	The translation of the foreign language prodections.		
Attachment		-	<del>-</del>
2) 🔲 Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)		iew Summary (PTO-413) Paper No(s) e of Informal Patent Application (PTO-152)
5. Patent and Tra ΓΟ-326 (Rev		ion Summary	Part of Paper No. 0115

Art Unit: 1742

#### **DETAILED ACTION**

1. Claims 1-3 and 8-27 are pending.

### Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2 December 2003 has been entered.

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-3, 9-11, 16-18, 20-22 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araya et al (JP 10-219375 A).

Araya et al teach (see English abstract) that the alloy is composed of titanium, with 20-60 wt% *in total* of niobium and tantalum as well as optionally tin. Thus, Araya et al teach that *one or both* of niobium and tantalum are included in the alloy. Therefore, Araya et al meet the requirement of the present claim that one of niobium and tantalum be included. The alloy contains less than 5 wt% tin. Araya et al teach (see English abstract) that it is desirable for the alloy to contain at least 15 wt% niobium and at least

Art Unit: 1742

6 wt% tantalum. Araya et al provide (see Table 1) specific examples of the alloy which contain 29 wt% niobium, 13 wt% tantalum and 4.6 wt% tin with the balance titanium. This alloy is equivalent to 20.3 at% niobium, 4.67 at% tantalum, 2.52 at% tin and 72.5 at% titanium. If the extreme lower limits of niobium and tantalum are used, along with the extreme upper limit of tin, the alloy would be 9.06 at% niobium, 1.86 at% tantalum, 2.36 at% tin and 86.72 at% titanium.

Though Araya et al fail to meet the claimed range of tin, the range taught by Araya et al is close enough to the presently claimed range that one of ordinary skill in the art would have expected the two alloys to have the same properties. See MPEP 2144.05.

With respect to the properties that the alloy has shape memory characteristics and has superelasticity at the human body temperature, the alloy composition taught by Araya et al is close enough to the alloy composition recited in the present claims, that one of ordinary skill in the art would have expected that the products taught by Araya et al would have the same shape memory characteristics and superelasticity as claimed.

Regarding claims 2 and 17, Araya et al teach that the alloy may contain 86.72 at% titanium. Though Araya et al fail to meet the claimed range of tin, the range taught by Araya et al is close enough to the presently claimed range that one of ordinary skill in the art would have expected the two alloys to have the same properties. See MPEP 2144.05.

Regarding claims 3 and 18, Araya et al teach, based on the extreme limits, that the alloy may contain a total of 10.92 at% niobium plus tantalum. With respect to the

Art Unit: 1742

alloy only containing one of niobium and tantalum, one of ordinary skill in the art would have expected that the sum of the niobium, tantalum or niobium plus tantalum would fall at this total.

Regarding claims 9 and 20, Araya et al teach (see English abstract) that the alloy composition is useful as a dental root. Thus, the alloy would have inherently been used as an artificial dental implant.

Regarding claims 10, 16, 21 and 27, Araya et al teach (see English abstract) that the alloy composition is useful as an artificial joint. An arthrosis, as defined by Merriam Webster's Collegiate Dictionary, 10<sup>th</sup> Edition, is an articulation between bones. The same defines articulation as a joint or juncture between bones or cartilages in the skeleton. Thus, an artificial arthrosis is another way of saying artificial joint.

Régarding claims 11 and 22, Araya et al teach (see English abstract) that the alloy is useful as a substitutive material for bone.

5. Claims 8 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araya et al (JP 10-219375 A) as applied to claims 1 and 17 above, and further in view of Farzon-Nia et al (US 5,429,504).

As cited above, Araya et al do not teach that the alloy may be used to make orthodontic appliances.

Farzin-Nia et al teach (see col 2, lines 19-33) orthodontic applications for a titanium-base material which may contain tin and niobium.

Art Unit: 1742

Therefore, it would have been obvious to one of ordinary skill in the art to have used the alloy of Araya et al to make orthodontic appliances as taught by Farzin-Nia et al because the alloy of Araya et al is bio-compatible.

6. Claims 12 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araya et al (JP 10-219375 A) as applied to claims 1 and 17 above, and further in view of Beyar et al (US 6,127,597).

As cited above, Araya et al do not teach that the alloy may be used to make bone fixators.

Beyar et al teach (see col 3, lines 16-25) that bone fixators have been known to be made of titanium or nitinol (a shape memory alloy).

Therefore, it would have been obvious to one of ordinary skill in the art to have used the alloy of Araya et al to make a bone fixator as taught by Beyar et al because the alloy of Araya et al is bio-compatible and has high strength.

7. Claims 13 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araya et al (JP 10-219375 A) as applied to claims 1 and 17 above, and further in view of Regan (US 4,795,458).

As cited above, Araya et al do not teach that the alloy may be used to make thrombus inhibitors (i.e.-stents).

Regan teaches (see col 1 ,lines 51-53) that stents are well known to be made of nitinol, a shape memory alloy of nickel and titanium.

Art Unit: 1742

Therefore, it would have been obvious to one of ordinary skill in the art to have used the alloy of Araya et al to make stents as taught by Regan because the alloy of Araya et al is bio-compatible and has shape memory characteristics.

8. Claims 14 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araya et al (JP 10-219375 A) as applied to claims 1 and 17 above, and further in view of Kizelshteyn et al (US 5,215,105).

As cited above, Araya et al do not teach that the alloy may be used to make catheter introducers.

Kizelshteyn et al teach (see col 3, lines 58-64) that it is well known in the art to make catheter introducers from shape memory alloys.

Therefore, it would have been obvious to one of ordinary skill in the art to have used the alloy of Araya et al to make a catheter introducer as taught by Kizelshteyn et al because the alloy of Araya et al is bio-compatible and has shape memory characteristics.

9. Claims 15 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araya et al (JP 10-219375 A) as applied to claims 1 and 17 above, and further in view of Besselink et al (US 5,551,871).

As cited above, Araya et al do not teach that the alloy may be used to make a Harrington bar (i.e.-a device to correct scoliosis).

Besselink et al teach (see col 3, line 58 to col 4, line 22) that shape memory alloys, such as titanium-nickel-niobium, are useful as a scoliosis correction system inside a patient's body where repeated adjustment is often not necessary or desirable

Art Unit: 1742

but stability is. A standard type of scoliosis correction is the use of a Harrington bar, as evidenced by Applicant's admission (see specification page 7, lines 4-6).

Therefore, it would have been obvious to one of ordinary skill in the art to have used the alloy of Araya et al to make a Harrington bar as taught by Besselink et al because the alloy of Araya et al is bio-compatible, has shape memory characteristics and has high strength.

## Response to Arguments

10. Applicant's arguments filed 20 June 2003 have been fully considered but they are not persuasive. Applicant has argued that Araya et al teach directly away from the present invention by including both Nb and Ta in all of the examples.

In response to Applicant's argument, though Araya et al show all of the examples including both Nb and Ta, the teachings of the prior art should not be construed as being limited only to those specific examples contained therein. In the English abstract, Araya et al teach that the total of Nb and Ta is 20-60 wt%. Thus, Araya et al teach that one or both of Nb and Ta is added at 20-60 wt%. Though all of the examples contain both Nb and Ta, within the scope of the invention taught by Araya et al is an alloy containing either Nb or Ta.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harry D Wilkins, III whose telephone number is 571-272-1251. The examiner can normally be reached on M-Th 10:00am-8:30pm.

Art Unit: 1742

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy V King can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306 for all communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1700.

Harry D Wilkins, III

Examiner

Art Unit 1742

hdw

ROY KING

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700